

DECLARATION OF COMPLIANCE

We hereby confirm that the products we supply do meet the requirements put forward in the legal framework presented below.

1. DESCRIPTION OF MATERIALS AND ARTICLES

DOUBLEWALL PAPER CUPS COATED PE [NDW9, NDW12, NDW16 IMPRESSO]

2. INTENDED USES

Products listed above can be in contact with following food stuff:

Dry

Aqueous

Acidic

Fatty

Low alcoholic, <6%

In following conditions of temperature and time*:

Hot-fill (up to 70°C for up to 2 hours including 15 min up to 100°C)

** It is the obligation of the recipient of this declaration to ensure that the packaging is suitable for the aimed processing and downstream use circumstances.*

3. LEGISLATION

We confirm that the products listed above fulfil the requirements on products intended for use in contact with food as defined in:

- Regulation on materials and articles intended to come into contact with food 1935/2004/EC;
- Regulation on good manufacturing practice for materials and articles intended to come into contact with food 2023/2006/EC;
- Regulation on plastic materials and articles intended to come into contact with food 10/2011/EC and its amendments up to date;
- Federal Institute for Risk Assessment BfR XXXVI, Paper and Board for food contact;
- 94/62/EC Packaging and Packaging Waste Directive and its amendments up to date regarding the threshold limit of 100 ppm by weight of heavy metals;
- EuPIA Guideline on Printing Inks applied to the non-food contact surface of food packaging materials and articles.

4. MIGRATION

According to Regulation (EU) No 10/2011 materials and articles shall not transfer their constituents to foodstuffs in quantities exceeding 10 mg per 1 dm² of surface area of the packaging or 60 mg per 1

kg foodstuff or food simulant (limiting value of the overall migration). The ratio of food contact surface area to volume used to establish the compliance of the article/s were 2,2 dm²/300 ml.

Following migration tests were conducted:

SIMULANT	TIME	TEMPERATURE
Acetic acid 3 %	2 hours	70°C
Ethanol 50 %	2 hours	70°C
Ethanol 95 %	2 hours	60°C
Isooctane	30 min	40°C

Substances with restriction

The products listed above may contain small amounts of following SML substances:

Substance Name	CAS-Nr	Limit [mg/kg]
Diocetylthiodipropionate	693-36-7	Max 5
1-Octen	111-66-0	Max 15
Additive A		Max 0,5
Additive B		Max 0,5
Additive C		0,05
Additive D		Max 0,05
Additive E		5
Additive F		0,05
Additive G		Max 30
Additive H		60
Additive I		Max 6


Dual Use Substance

The products listed above may contain small amounts of following Dual Use substances:

Nazwa substancji	E Number
Waxes, refined	E905

5. TRACEABILITY

This can be done by referring to traceability by Licence Plate Number, Box Label, Order number. This certificate is valid until there is substantial changes in the composition or production that bring about changes in the migration from the materials or articles or when new scientific data becomes available.



Ewelina Zajac

Dział Kontroli Jakości
Huhtamaki Foodservice Poland Sp. z o.o.
ewelina.zajac@pl.huhtamaki.com
Tel. + 48 32 888 57 25
Fax + 48 32 888 57 05