Safety data sheet

according to 1907/2006/EC, Article 31

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

okumental

power your pen

- · 1.1 Product identifier
- · Trade name: 62-40-B RED 200%
- · Registration number

The ingredients of this ink have been pre-registered according to 1907/2006/EC (REACH)

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

Currently no such applications are identified

- · Application of the substance / the mixture water based rollerball ink
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SHANGHAI DOKUMENTAL INK Co. Ltd.

No.18-3, Maojia Road

Luodian Town, Baoshan District

Shanghai 201908 , P.R. China

Tel.: 86-021-66864551

· Further information obtainable from:

Ms. Cindy Song

Email: cindy.song@dokumental.cn

1.4 Emergency telephone number:

Mr. Bruce Gindelberger

Tel.: mobile +86-13917914495

Email:bruce.gindelberger@dokumental.cn

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT RE 2 $\,$ H373 $\,$ May cause damage to organs through prolonged or repeated exposure.

- · 2.2 Label elements
- \cdot Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

ethanediol

- · Hazard statements
 - H373 May cause damage to organs through prolonged or repeated exposure.
- Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

Mixture of the following substances, containing non-hazardous substances and colouring agents.

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:					
		ethanediol	10-25%		
EIN	IECS: 203-473-3	🔖 STOT RE 2, H373; 🕚 Acute Tox. 4, H302			
		C.I. Acid Red 92	2,5-10%		
EIN	IECS: 242-355-6	🔖 Aquatic Acute 1, H400			
		Benzotriazole	<u>≤</u> 2,5%		
EIN	IECS: 202-394-1	♦ Acute Tox. 4, H302; Eye Irrit. 2, H319; Aquatic Chronic 3, H412			

Safety data sheet

according to 1907/2006/EC, Article 31

Trade name: 62-40-B RED 200%

Printing date 30.03.2016 Revision: 30.03.2016 Version number 1

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- $\boldsymbol{\cdot}$ After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

107-21-1 ethanediol (10-25%)

Short-term value: 104 mg/m³, 40 ppm Long-term value: 52 mg/m^3 , 20 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

(Contd. on page 3)

okumental Safety data sheet power your pen

Printing date 30.03.2016 Revision: 30.03.2016 Version number 1 according to 1907/2006/EC, Article 31

Trade name: 62-40-B RED 200%

(Contd. of page 2)

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the

preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical prop	perties				
9.1 Information on basic physical and chemical properties					
· General Information · Appearance:					
Form:	Fluid				
Colour:	riuid Red				
· Odour:	Product specific				
· Odour threshold:	Not determined.				
· Important information on protection of health environment, and on safety.					
· pH-value at 20 °C:	7,7				
· Change in condition					
Melting point/Melting range:	Undetermined.				
Boiling point/Boiling range:	100 °C				
· Flash point:	111 °C				
· Flammability (solid, gaseous):	Not applicable.				
· Ignition temperature:	400 °C				
· Decomposition temperature:	Not determined.				
· Self-igniting:	Product is not selfigniting.				
· Danger of explosion:	Not determined.				
· Explosion limits:					
Lower:	3,2 Vol %				
Upper:	53,0 Vol %				
· Vapour pressure at 20 °C:	23 hPa				
· Density at 20 °C:	1,2 g/cm ³				
· Relative density	Not determined.				
· Vapour density	Not determined.				
· Evaporation rate	Not determined.				
· Solubility in / Miscibility with					
water:	Fully miscible.				
· Partition coefficient (n-octanol/water):	Not determined.				
· Viscosity:					
Dynamic at 20 °C:	9,7 mPas				
Kinematic:	Not determined.				
· Solvent content:					
Organic solvents:	0,2 %				
Water:	43,0 %				
Solids content:	13,3 %				
	(Contd. on	page			

Safety data sheet

according to 1907/2006/EC, Article 31

Trade name: 62-40-B RED 200%

(Contd. of page 3)

Printing date 30.03.2016 Revision: 30.03.2016 Version number 1

· 9.2 Other information

The physical and chemical properties given in Section 9.1 are rough data only, which are partially derived from the component's data of the mixture. These data are no binding product specifications.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure
- May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- \cdot 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, ADN, IMDG, IATA not applicable
- · 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA not applicable

(Contd. on page 5)

okumental according to 1907/2006/EC, Article 31

Safety data sheet

Printing date 30.03.2016 Revision: 30.03.2016 Version number 1

Trade name: 62-40-B RED 200%

		(Contd. of page
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not applicable	
· 14.4 Packing group · ADR, IMDG, IATA	not applicable	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex Marpol and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	not applicable	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	<u>≤</u> 1.0

- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

· Abbreviations and acronyms:

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity, Hazard Category 4
Bye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

* Data compared to the previous version altered.